	Type	Hits	Search Text	DBs
1	BRS	5	"6373540"	US-PGPUB; USPAT; EPO; JPO
2	IS&R	4	(("6151089") or ("6373540") or ("5847781") or ("6177973")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
3	IS&R	5	(("5936693") or ("5736278") or ("6122027") or ("5907377") or ("5734455")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
4	IS&R	0	("1andcolor").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
5	BRS	5	((("5936693") or ("5736278") or ("6122027") or ("5907377") or ("5734455")).PN.) and color	US-PGPUB; USPAT; EPO; JPO
6	BRS	3	((("5936693") or ("5736278") or ("6122027") or ("5907377") or ("5734455")).PN.) and color AND (back ADJ light light ADJ source)	US-PGPUB; USPAT; EPO; JPO
7	BRS	363	349/97	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
8	BRS	140	349/97 and color AND (back ADJ light light ADJ source)	US-PGPUB; USPAT; EPO; JPO
9	IS&R	1	("6151089").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
10	BRS	10	(349/97 and color AND (back ADJ light light ADJ source)) and pixel ADJ electrode	US-PGPUB; USPAT; EPO; JPO
11	BRS	1986	349/106	US-PGPUB; USPAT; EPO; JPO
12	BRS	258	349/106 and color AND (back ADJ light light ADJ source) and pixel ADJ electrode	US-PGPUB; USPAT; EPO; JPO
13	BRS	254	(349/106 and color AND (back ADJ light light ADJ source) and pixel ADJ electrode) not (349/97 and color AND (back ADJ light light ADJ source))	US-PGPUB; USPAT; EPO; JPO
14	BRS	1005	349/65	US-PGPUB; USPAT; EPO; JPO
15	BRS	83	349/65 and color AND (back ADJ light light ADJ source) and pixel ADJ electrode	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
16	BRS	79	(349/65 and color AND (back ADJ light light ADJ source) and pixel ADJ electrode) not (((349/106 and color AND (back ADJ light light ADJ source) and pixel ADJ electrode) not (349/97 and color AND (back ADJ light light ADJ source))) ((349/97 and color AND (back ADJ light light ADJ source)) and pixel ADJ electrode))	US-PGPUB; USPAT; EPO; JPO
17	IS&R	5	((("5936693") or ("5736278") or ("6122027") or ("5907377") or ("5734455")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
18	BRS	5	(((("5936693") or ("5736278") or ("6122027") or ("5907377") or ("5734455")).PN.) and pixel ADJ electrode	US-PGPUB; USPAT; EPO; JPO
19	BRS	0	(("6151089").PN.) and pixel ADJ electrode	US-PGPUB; USPAT; EPO; JPO
20	BRS	273	349/63	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
21	IS&R	3	(("5936693") or ("5734455") or ("6122027")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
22	BRS	3	((("5936693") or ("5734455") or ("6122027")).PN.) and light	US-PGPUB; USPAT; EPO; JPO
23	IS&R	1	("6373540").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
24	BRS	0	liquid ADJ crystal ADJ display same front ADJ ligh	US-PGPUB; USPAT; EPO; JPO
25	BRS	630	liquid ADJ crystal ADJ display same front ADJ light	US-PGPUB; USPAT; EPO; JPO
26	BRS	190	(liquid ADJ crystal ADJ display same front ADJ light) and active ADJ matrix	US-PGPUB; USPAT; EPO; JPO
27	BRS	24	(liquid ADJ crystal ADJ display same front ADJ light) and (pixel and (common counter) ADJ electrodes)	US-PGPUB; USPAT; EPO; JPO
28	IS&R	1	("5847781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO

	Type	Hits	Search Text	DBs
29	IS&R	1	("6373540").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO
30	BRS	54	(common counter) ADJ electrode same opaque ADJ conduct$3	US-PGPUB; USPAT; EPO; JPO
31	BRS	4932	pixel ADJ electrode with (indium ADJ tin ADJ oxide ITO)	US-PGPUB; USPAT; EPO; JPO
32	BRS	1822	S31 and @ad<="20000807"	US-PGPUB; USPAT; EPO; JPO
33	BRS	200	((common counter) and pixel) ADJ electrodes with (indium ADJ tin ADJ oxide ITO)	US-PGPUB; USPAT; EPO; JPO
34	BRS	54	S33 and @ad<="20000807"	US-PGPUB; USPAT; EPO; JPO
35	BRS	0	good ADJ conduct$3 and S34	US-PGPUB; USPAT; EPO; JPO
36	BRS	2	JP ADJ "02020832"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	99076	(gate scan$4) ADJ line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
38	BRS	1028	S37 with oxide ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	14471	(gate ADJ electrode) and (gate scan$4) ADJ line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	637	(gate ADJ electrode) and (gate scan$4) ADJ line with oxide ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	0	(gate ADJ electrode) and (gate scan$4) ADJ line with (oxide ADJ (layer film) and abosor$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	6	(gate ADJ electrode) and (gate scan$4) ADJ line with (oxide ADJ (layer film) and absor$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	637	S40 and ad@<="20000807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
44	BRS	137	absor$5 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	114	(gate ADJ electrode) and (gate scan$4) ADJ line with ((chromium aluminum titanium molybdenum metal) and (chromium aluminum titanium molybdenum metal) ADJ oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	270	(source and drain) ADJ electrode with ((chromium aluminum titanium molybdenum metal) and (chromium aluminum titanium molybdenum metal) ADJ oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	25	absor$5 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
48	BRS	866	(source and drain) ADJ electrode same ((chromium aluminum titanium molybdenum metal) and (chromium aluminum titanium molybdenum metal) ADJ oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	138	absor$5 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	113	S49 not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	13	(source and drain) ADJ electrode same (absor$5 with (oxid$5 nitride black ADJ resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	43	(source and drain) ADJ electrode same (absor$5 same (oxid$5 nitride black ADJ resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	30	S52 not S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
54	IS&R	7	("5734455").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	IS&R	0	("12andblack").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	1	S54 and black	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	12	(("6445432") or ("6407782") or ("6466281") or ("6031512") or ("6043857") or ("6221543")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	1716	349/106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	2007	349/43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
60	BRS	280356	(passiv$5 protect$3 planariz$5) ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	1716	349/106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	2007	349/43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	164	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	1	S65 and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	IS&R	5	("5936693").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
66	IS&R	2	("6,590,627").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	17	(source and drain) ADJ electrodes with absor$5 ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1104	absor$5 ADJ (layer film) with (oxidation nitride black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	65	(source and drain) ADJ electrodes same absor$5 ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	48	S68 not S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	41	(oxidation nitride black ADJ resin) ADJ absor$5 ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
72	BRS	0	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	0	S72 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	4	S77 and (light optic$2) ADJ absor$5 ADJ efficiency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	1	nitride and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	2	S82 and (light optic$2) ADJ absor$5 ADJ efficiency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	1	S72 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
78	BRS	1746	absor$5 ADJ (layer film) same (oxidation nitride black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	IS&R	2	("5,091,244").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	65	(source and drain) ADJ electrodes same absor$5 ADJ (layer film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	1104	absor$5 ADJ (layer film) with (oxidation nitride black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	459	(light optic$2) ADJ absor$5 ADJ (layer film) same (oxidation nitride black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	35	S77 and absor$5 ADJ efficiency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
84	IS&R	7	("5734455").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	1	(absor$5 ADJ (layer film) with (low ADJ reflectance)) same (oxidation nitride black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	11	(absor$5 same (low ADJ reflectance)) same ((oxidation nitride) ADJ (layer film) black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	7	(absor$5 ADJ (layer film) same (low ADJ reflectance)) same (oxidation nitride black ADJ resin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	IS&R	5	("5936693").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB